

NETT NewsFlash

April 2015



Enrollment Update:
As of 4-30-15 at 1:55p (EDT)



<i>Arizona</i>	<5	46	<5
<i>Cincinnati</i>	<5	123	16
<i>Emory</i>	8	63	63
<i>HFH</i>	7	49	<5
<i>Kentucky</i>	<5	46	32
<i>Maryland</i>	<5	40	9
<i>Mass General</i>	18	30	6
<i>Minnesota</i>	31	112	9
<i>NYP</i>	26	51	72
<i>Ohio State</i>	<5	4 (14 Emmes)	44
<i>OHSU</i>	<5	51	5
<i>Pittsburgh</i>	<5	18	26
<i>SUNY Downstate</i>	9	50 (6 Emmes)	8
<i>Stanford</i>	13	87	18
<i>Temple</i>	10	66	24
<i>Texas</i>	20	83	27
<i>UCLA</i>	<5	2 (23 Emmes)	9
<i>UCSF</i>	<5	60	8
<i>UPenn</i>	34	227	21
<i>VCU</i>	<5	12	<5
<i>Wayne State</i>	<5	126	12
<i>Wisconsin</i>	<5	62	9
<i>OUS (ATACH-II only)</i>	502	-	-
<i>Emmes and OUS (POINT only)</i>	-	1372	-
<i>Ancillary Sites (SHINE only)</i>	-	-	154
TOTAL	883	2780	580

ATTACH-II: Review of SBP Eligibility for ATACH-II Patients

For subjects randomized prior to IV antihypertensive administration: SBP has to be greater than 180 mmHg* prior to IV antihypertensive treatment (this includes pre-hospital treatment) **AND WITHOUT** spontaneous SBP reduction to below 180 mmHg at the time of randomization. **OR**

For subjects randomized after IV antihypertensive administration: SBP has to be greater than 180 mmHg prior to IV antihypertensive treatment (this includes pre-hospital treatment) **AND WITHOUT** SBP reduction to below 140 mmHg at the time of randomization.

Note that the SBP at the time of randomization has to be:* Above 180 if an antihypertensive was not given **AND 140 or above if an antihypertensive was given.

NETT Network

Contact Us: nett-contact@umich.edu (734) 232-2142 Website: <http://nett.umich.edu>